

HDMI Connector

Floating Test Connectors

Test Connectors

Test Connectors are typical used for Final or Functional Test, whereas the Test Connector is pneumatical driven into the test objects connector.

The Test Connectors are free floating or can be used with a self guiding block to pre-align the connector before engaging the test object.

All Test Connectors are designed and made with High Perfomance Plastic to assure high lifecycles of typical up to 100.000 insertions.

ECT offers a variety other connector types, pincounts or custom cable length for:

- TAE
- Power DC (2.1mm Ø)
- LVDS
- RTX
- · Various others...

Note

These "Made in Germany" Connectors are sold worldwide by ECT-Munich only.

HDMI Connector

Model Number: HDMI Connector
Connectors: 19 Pins Gold Plated
Housing Material: High Performance Plastic

Voltage Rating: max. 40V

Wiring: none / upon request
Part Number: 15.52.59.00.0



Floating Test Connectors

Mini Western Connectors

4-Pin Mini Western Connector (900mm cable)

Model Number: 4-Pin Western Connector
Connectors: 4 Pins Gold Plated
Housing Material: High Performance Plastic

Voltage Rating: max. 230V

Wiring: 900mm Color Coded Ribbon Cable

Part Number: 10.41.67.00.0

6-Pin Mini Western Connector (900mm cable)

Model Number: 6-Pin Western Connector Connectors: 6 Pins Gold Plated Housing Material: High Performance Plastic

Voltage Rating: max. 230V

Wiring: 900mm Color Coded Ribbon Cable

Part Number: 10.41.68.00.0

8-Pin Mini Western Connector (900mm cable)

Model Number: 8-Pin Western Connector Connectors: 8 Pins Gold Plated Housing Material: High Performance Plastic

Voltage Rating: max. 230V

Wiring: 900mm Color Coded Ribbon Cable

Part Number: 10.41.69.00.0

8-Pin Mini Western Connector (250mm cable)

Model Number: 8-Pin Western Connector Connectors: 8 Pins Gold Plated Housing Material: High Performance Plastic

Voltage Rating: max. 230V

Wiring: 250mm Color Coded Ribbon Cable

Part Number: 10.41.70.00.0

10-Pin Mini Western Connector (300mm cable)

Model Number: 10-Pin Western Connector Connectors: 10 Pins Gold Plated High Performance Plastic

Voltage Rating: max. 230V

Wiring: 300mm Color Coded Ribbon Cable

Part Number: 10.14.57.00.0











USB Connectors

Floating Test Connectors

4-Pin USB Connector Type A

Model Number: 4-Pin USB Connector Type A

Connectors: 4 Pins Gold Plated
Housing Material: High Performance Plastic
Electrical Rating: max. 40V / max. 2.5A
Wiring: none / upon request
Part Number: 10.14.40.00.0



4-Pin USB Connector Type B

Model Number: 4-Pin USB Connector Type B

Connectors: 4 Pins Gold Plated
Housing Material: High Performance Plastic

Voltage Rating: max. 40V

Wiring: none / upon request Part Number: 10.14.46.00.0



5-Pin USB Mini Connector

Model Number: 5-Pin USB Mini Connector

Connectors: 5 Pins Gold Plated
Housing Material: High Performance Plastic

Voltage Rating: max. 40V

Wiring: none / upon request Part Number: 10.14.66.00.0



5-Pin USB Mini Connector with Guiding Feature

Model Number: 5-Pin USB Mini Connector Guiding

Connectors: 5 Pins Gold Plated
Housing Material: High Performance Plastic

Voltage Rating: max. 40V

Wiring: none / upon request
Part Number: 10.14.67.00.0



5-Pin USB Micro Connector

Model Number: 5-Pin USB Micro Connector

Connectors: 5 Pins Gold Plated
Housing Material: High Performance Plastic

Voltage Rating: max. 40V

Wiring: none / upon request Part Number: 10.14.57.00.0

